



## OPERATING INSTRUCTIONS

Fork extension



Please read this manual before using the product and follow the instructions it contains!

<b>GENERAL</b>	Area of application	3
	Intended use	3
	Technical data	3
	Operator obligations	4
	Assembly	4
<b>MAINTENANCE</b>	Maintenance	4
	Service & contact	5
	UKCA Declaration of Conformity	6

## AREA OF APPLICATION

Fork extensions are used to pick up, transport and set down palletized goods with a forklift truck. To ensure safe handling, please also always observe the operating instructions of the forklift.

## INTENDED USE

The fork extensions are used exclusively to pick up and transport loads and can / must only be used on forklift trucks.



**WARNING! Risk of injury if used incorrectly!**

Misuse of the fork extensions can lead to dangerous situations and serious injuries.

- Make sure that there are no persons or obstacles in the danger zone.
- Never exceed the load capacity of the fork extension and the forklift truck.
- Follow the specifications in the technical data sheet.
- According to DGUV regulation 68, periodic inspections must be performed at least once a year with checklist FEM 4.004, 6.



Please note that a fork extension shifts the load centre of your forklift truck. For more information, refer to the load diagram and the load centre of your machine. Furthermore, the extension must rest on least 60 % of the forks of the truck.

Check whether the fork extension is compatible with your forklift truck (fork cross-section up to max. 135 x 55 mm).

## TECHNICAL DATA

Type	Unit	Value
Brand		SolidHub
Color		Matt black
Surface		Painted
Maximum load	kg	3000 per pair
Weight	kg	70 per pair
Length forks	mm	1830
Total length	mm	1960
Width	mm	170
Height	mm	80
Size fork openings	mm	135 x 55

## OPERATOR OBLIGATIONS

Fork extensions are used in the commercial sector. The operator of the industrial truck is therefore subject to the legal obligations for work safety.

**WARNING! Risk of injury due to crushing!**

The weight of the fork extensions can cause crushing and serious injuries.

Protective gloves must therefore be worn during assembly and disassembly of the fork extensions.

## ASSEMBLY

1. Pull the locking bolts out of the fork extensions.



2. Carefully slide the fork extensions onto the forks.



3. Put the locking bolts behind the back of the forks through the hole provided and secure them.



4. Verify that the fork extensions are firmly secured on the forks.



## MAINTENANCE

- Daily visual inspection by the user.
- Check the fit of the locking bolts and look for cracks or deformations.
- Have the fork extension checked at least once a year by an expert based on the current associated standard.
- Clean your fork extensions regularly. Use a broom or brush for this purpose.
- Remove dirt or rust with suitable tools.



Repairs may only be carried out by the manufacturer or a specialist company authorised by the manufacturer. The manufacturer declines all liability for any damage resulting from improper repair or welding work on the fork extensions. Improper repairs or use of foreign components can lead to damage and loss of function. As a result, dangerous situations and serious injuries may occur. Improper repairs will void the warranty and the manufacturer's responsibility for consequential damage.

## SERVICE & CONTACT

Contact our product experts and find help and solutions for your product. Here you will find all contact information listed by country and language: [www.topregal.co.uk/en/service](http://www.topregal.co.uk/en/service)

Responsible for the content:

TOPREGAL GmbH

Industriestrasse 3

70794 Filderstadt

GERMANY

[www.topregal.com](http://www.topregal.com)

# UKCA Declaration of Conformity

The manufacturer

**TOPREGAL UK Ltd.**  
**Carlton Drive Crumlin**  
**Gwent NP11 4EA**

hereby declares that the following product

Product name:

**Fork extension**

Type:

**GV1830**

Serial number:

**GV1830-1000000000 - GV1830-9999999999**

that the equipment is in conformity with the following relevant UK legislations and applied standards:

**2006/42/EC Machinery Directive**


**EN ISO 12100**

**EN 280**

**EN 60204-1+A1+AC**

Name and adress of the person who is authorized, compile the technical documentation:

TOPREGAL UK Ltd.  
Carlton Drive Crumlin  
Gwent NP11 4EA



Place: Crumlin UK  
Date: 01.03.2021

Juergen Effner  
Chief Executive Officer



# SolidHub